



APEX ASAT-30M3 User & assembly guide

Thank you for purchasing the APEX Trolley sprayer. With careful use and maintenance you should get years of use from your sprayer.

This guide will show you the basic steps for setting up and using your sprayer. Spare parts are listed in the back of this guide.



Features:

- Rechargeable Heavy-duty sealed battery for hours of use
- Rechargeable from 240-volt power source
- Steel frame with handle
- Hose reel with 9 metres spray hose
- On-off switch with in-use light
- Internal fuse to protect pump (under pump cover)
- Large filling lid
- Large drain outlet

Once unpacked, follow the guide for assembly.

Step 1. Assemble the spray lance



Top: Lance prior to assembly

Far Left: Ensure the o-ring is seated in the groove

Left: thread the nozzle onto the lance (repeat to thread the lance onto the trigger assembly) – note – take care not to cross-thread these fittings

Step 2. Attach spray lance to hose



Step 3. Assemble handle – slide handle into holders & secure with threaded bolt



Step 4. Attach hose reel winder handle




Left: Tighten bolt with washer into the end of the brass bush (note that flanged end at top goes into the reel housing)
Next right: drop assembly into handle

Above: flanged end sill protrude from handle
Right: Tighten 2nd bolt into brass bush to secure the handle to the reel

Step 5. Remove shrink wrap from hose



Step 6. Rinse out all swarf from tank before use (swarf will be small plastic filings that need to be flushed out)



Step 7: Attach charger and charge battery for 4 hours or overnight



Once fully charged, your unit will be ready to spray.

Operation:



Top left: Secure the drain cap
Top right: Fill with clean water (through strainer)
Left: Switch pump on (green light will glow)

Above & above right: Adjust nozzle pattern.

Note: Whilst filling, add chemical to the tank using protective clothing

Accessories:



A useful spray guard can be attached to the lance in lieu of the adjustable cone-spray nozzle. The spray guard is an option

Included in the sprayer kit:



Included with the sprayer is the battery charger and a handy suction tool (separate instructions accompany this part) to clear pump blockages should they occur

Protective Clothing & measuring equipment:



Left: Consider a reusable & disposable spray suit for your protection
Above: Good gloves are a good investment

Above: A respirator is a must when spraying, especially insecticides
Right: Measuring jugs are available in several sizes

Spare parts:

AS-52210100200 APEX 3 L/MIN PUMP COMPLETE

NOT PICTURED

ASAT-30M3-1 CHARGER FOR ASAT-30M3



AS-LANCE-ASSY LANCE FOR ASAT-30M3



AS-24710600320 MAIN FILLING LID



AS-21345400500 SWIVEL FOR REEL



AS-23612800100 DRAIN CAP



AS-31340901800 REEL (BARE)

NOT PICTURED

AS-21315600700 PUMP COVER



For any more information, please contact your local dealer or reseller you purchased your APEX product from. Alternatively you can contact Croplands as follows:

Phone, AU: 1800 999 162

NZ: 0800 10 68 98

Email: sales@croplands.com.au

sales@croplands.co.nz